

Referenzliste

- (1) Anderson GF, Steinberg EP, Powe NR, Antebi S, Whittle J, Horn S et al. Setting payment rates for capitated systems: a comparison of various alternatives. *Inquiry* 1990; 27(3):225-233.
- (2) Ash AS, Ellis RP, Pope GC, Ayanian JZ, Bates DW, Burstin H et al. Using diagnoses to describe populations and predict costs. *Health Care Financ Rev* 2000; 21(3):7-28.
- (3) Behrend C, Buchner F, Happich M, Holle R, Reitmeier P, Wasem J. Risk-adjusted capitation payments: how well do principal inpatient diagnosis-based models work in the German situation? Results from a large data set. 2004.
- (4) Bührer A, Zaugg PY, Leutenegger M. Thurgauer Morbiditätsindikator - Korrelationsstudie. 2002. VMCT.
- (5) Carter GM, Bell RM, Dubois RW, Goldberg GA, Keeler EB, McAlearney JS et al. A clinically detailed risk information system for cost. *Health Care Financ Rev* 2000; 21(3):65-91.
- (6) Chang W, McCracken SB. Applying case mix adjustment in profiling primary care physician performance. *J Health Care Finance* 1996; 22(4):1-9.
- (7) Clark DO, Von Korff M, Saunders K, Baluch WM, Simon GE. A chronic disease score with empirically derived weights. *Med Care* 1995; 33(8):783-795.
- (8) Cowen ME, Dusseau DJ, Toth BG, Guisinger C, Zodet MW, Shyr Y. Casemix adjustment of managed care claims data using the clinical classification for health policy research method. *Med Care* 1998; 36(7):1108-1113.
- (9) Cumming RB, Knutson D, Cameron BA, Derrick B. A comparative analysis of claims-based methods of health risk assessment for commercial populations. 2002.
- (10) Duckett SJ, Agius PA. Performance of diagnosis-based risk adjustment measures in a population of sick Australians. *Aust N Z J Public Health* 2002; 26(6):500-507.
- (11) Dudley RA, Medlin CA, Hammann LB, Cisternas MG, Brand R, Rennie DJ et al. The best of both worlds? Potential of hybrid prospective/concurrent risk adjustment. *Med Care* 2003; 41(1):56-69.
- (12) Ellis RP, Ash A. Refinements to the Diagnostic Cost Group (DCG) model. *Inquiry* 1995; 32(4):418-429.
- (13) Ellis RP, Pope GC, Iezzoni L, Ayanian JZ, Bates DW, Burstin H et al. Diagnosis-based risk adjustment for Medicare capitation payments. *Health Care Financ Rev* 1996; 17(3):101-128.
- (14) Fishman PA, Goodman MJ, Hornbrook MC, Meenan RT, Bachman DJ, O'Keeffe Rosetti MC. Risk adjustment using automated ambulatory pharmacy data: the RxRisk model. *Med Care* 2003; 41(1):84-99.
- (15) Fowles JB, Weiner JP, Knutson D, Fowler E, Tucker AM, Ireland M. Taking health status into account when setting capitation rates: a comparison of risk-adjustment methods. *JAMA* 1996; 276(16):1316-1321.
- (16) Gilmer T, Kronick R, Fishman P, Ganiats TG. The Medicaid Rx model: pharmacy-based risk adjustment for public programs. *Med Care* 2001; 39(11):1188-1202.
- (17) Goldfield N, Averill R, Eisenhandler J, Hughes JS, Muldoon J, Steinbeck B et al. The prospective risk adjustment system. *J Ambul Care Manage* 1999; 22(2):41-52.

- (18) Gruenberg L, Kaganova E, Hornbrook MC. Improving the AAPCC (adjusted average per capita cost) with health-status measures from the MCBS (Medicare Current Beneficiary Survey). *Health Care Financ Rev* 1996; 17(3):59-75.
- (19) Holly A, Gardiol L, Egli Y, Yalcin T, Ribeiro T. Ein neues gesundheitsbasiertes Risikoausgleichssystem für die Schweiz. *GGW* 2005; 5(2):16-31.
- (20) Hornbrook MC, Goodman MJ, Bennett MD. Assessing health plan case mix in employed populations: ambulatory morbidity and prescribed drug models. *Adv Health Econ Health Serv Res* 1991; 12:197-232.
- (21) Hornbrook MC, Goodman MJ, Bennett MD, Greenlick MR. Assessing health plan case mix in employed populations: self-reported health status models. *Adv Health Econ Health Serv Res* 1991; 12:233-272.
- (22) Hornbrook MC, Goodman MJ. Assessing relative health plan risk with the RAND-36 health survey. *Inquiry* 1995; 32(1):56-74.
- (23) Hornbrook MC, Goodman MJ. Chronic disease, functional health status, and demographics: a multi-dimensional approach to risk adjustment. *Health Serv Res* 1996; 31(3):283-307.
- (24) Hughes JS, Averill RF, Eisenhandler J, Goldfield NI, Muldoon J, Neff JM et al. Clinical Risk Groups (CRGs): a classification system for risk-adjusted capitation-based payment and health care management. *Med Care* 2004; 42(1):81-90.
- (25) Johnson RE, Hornbrook MC, Nichols GA. Replicating the chronic disease score (CDS) from automated pharmacy data. *J Clin Epidemiol* 1994; 47(10):1191-1199.
- (26) Juncosa S, Bolibar B, Roset M, Tomas R. Performance of an ambulatory casemix measurement system in primary care in Spain. Ambulatory care groups (ACG). *Eur J Public Health* 1999; 9:27-35.
- (27) Kapur K, Tseng CW, Rastegar A, Carter GM, Keeler E. Medicare calibration of the clinically detailed risk information system for cost. *Health Care Financ Rev* 2003; 25(1):37-54.
- (28) Kronick R, Zhou Z, Dreyfus T. Making risk adjustment work for everyone. *Inquiry* 1995; 32(1):41-55.
- (29) Kronick R, Dreyfus T, Lee L, Zhou Z. Diagnostic risk adjustment for Medicaid: the disability payment system. *Health Care Financ Rev* 1996; 17(3):7-33.
- (30) Kronick R, Gilmer T, Dreyfus T, Lee L. Improving health-based payment for Medicaid beneficiaries: CDPS. *Health Care Financ Rev* 2000; 21(3):29-64.
- (31) Lamers LM, van Vliet RC. Multiyear diagnostic information from prior hospitalization as a risk-adjuster for capitation payments. *Med Care* 1996; 34(6):549-561.
- (32) Lamers LM. Risk-adjusted capitation payments: developing a diagnostic cost groups classification for the Dutch situation. *Health Policy* 1998; 45(1):15-32.
- (33) Lamers LM. Pharmacy costs groups: a risk-adjuster for capitation payments based on the use of prescribed drugs. *Med Care* 1999; 37(8):824-830.
- (34) Lamers LM. Risk-adjusted capitation based on the Diagnostic Cost Group Model: an empirical evaluation with health survey information. *Health Serv Res* 1999; 33(6):1727-1744.

- (35) Lamers LM. Health-based risk adjustment: is inpatient and outpatient diagnostic information sufficient? *Inquiry* 2001; 38(4):423-431.
- (36) Lamers LM, Vliet RC. Health-based risk adjustment Improving the pharmacy-based cost group model to reduce gaming possibilities. *Eur J Health Econ* 2003; 4(2):107-114.
- (37) Maciejewski ML, Liu CF, Derleth A, McDonell M, Anderson S, Fihn SD. The performance of administrative and self-reported measures for risk adjustment of Veterans Affairs expenditures. *Health Serv Res* 2005; 40(3):887-904.
- (38) Parkerson GR, Jr., Michener JL, Yarnall KS, Hammond WE. Duke Case-Mix System (DUMIX) for ambulatory health care. *J Clin Epidemiol* 1997; 50(12):1385-1394.
- (39) Parkerson GR, Jr., Harrell FE, Jr., Hammond WE, Wang XQ. Characteristics of adult primary care patients as predictors of future health services charges. *Med Care* 2001; 39(11):1170-1181.
- (40) Payne SM, Cebul RD, Singer ME, Krishnaswamy J, Gharrity K. Comparison of risk-adjustment systems for the medicaid-eligible disabled population. *Med Care* 2000; 38(4):422-432.
- (41) Perkins AJ, Kroenke K, Unutzer J, Katon W, Williams JW, Hope C et al. Common comorbidity scales were similar in their ability to predict health care costs and mortality. *J Clin Epidemiol* 2004; 57(10):1040-1048.
- (42) Pietz K, Ashton CM, McDonell M, Wray NP. Predicting healthcare costs in a population of veterans affairs beneficiaries using diagnosis-based risk adjustment and self-reported health status. *Med Care* 2004; 42(10):1027-1035.
- (43) Pope GC, Adamache K, Walsh E, Khandker R. Evaluating alternative risk adjusters for Medicare. *Health Care Financ Rev* 1998; 20(2):109-129.
- (44) Pope GC, Ellis RP, Ash AS, Liu CF, Ayanian JZ, Bates DW et al. Principal inpatient diagnostic cost group model for Medicare risk adjustment. *Health Care Financ Rev* 2000; 21(3):93-118.
- (45) Pope GC, Kautter J, Ellis RP, Ash AS, Ayanian JZ, Lezzoni LI et al. Risk adjustment of Medicare capitation payments using the CMS-HCC model. *Health Care Financ Rev* 2004; 25(4):119-141.
- (46) Reid RJ, MacWilliam L, Verhulst L, Roos N, Atkinson M. Performance of the ACG case-mix system in two Canadian provinces. *Med Care* 2001; 39(1):86-99.

- (47) Reschke P, Sehlen S, Schiffhorst G, Schröder WF, Lauterbach KW, Wasem J. Klassifikationsmodelle für Versicherte im Risikostrukturausgleich. Untersuchung zur Auswahl geeigneter Gruppenbildungen, Gewichtungsfaktoren und Klassifikationsmerkmale für einen direkt morbiditätsorientierten Risikostrukturausgleich in der gesetzlichen Krankenversicherung. 2004.
- (48) Riley GF. Risk adjustment for health plans disproportionately enrolling frail Medicare beneficiaries. *Health Care Financ Rev* 2000; 21(3):135-148.
- (49) Robinson J, Karon SL. Modeling Medicare costs of PACE (Program of All-Inclusive Care for the Elderly) populations. *Health Care Financ Rev* 2000; 21(3):149-170.
- (50) Sales AE, Liu CF, Sloan KL, Malkin J, Fishman PA, Rosen AK et al. Predicting costs of care using a pharmacy-based measure risk adjustment in a veteran population. *Med Care* 2003; 41(6):753-760.
- (51) Schauflier HH, Howland J, Cobb J. Using chronic disease risk factors to adjust Medicare capitation payments. *Health Care Financ Rev* 1992; 14(1):79-90.
- (52) Schokkaert E, Van de Voorde C. Risk selection and the specification of the conventional risk adjustment formula. *J Health Econ* 2004; 23(6):1237-1259.
- (53) Shen Y, Ellis RP. How profitable is risk selection? A comparison of four risk adjustment models. *Health Econ* 2002; 11(2):165-174.
- (54) Sloan KL, Sales AE, Liu CF, Fishman P, Nichol P, Suzuki NT et al. Construction and characteristics of the RxRisk-V: a VA-adapted pharmacy-based case-mix instrument. *Med Care* 2003; 41(6):761-774.
- (55) Stafford RS, Li D, Davis RB, Iezzoni LI. Modelling the ability of risk adjusters to reduce adverse selection in managed care. *Appl Health Econ Health Policy* 2004; 3(2):107-114.
- (56) Starfield B, Weiner J, Mumford L, Steinwachs D. Ambulatory care groups: a categorization of diagnoses for research and management. *Health Serv Res* 1991; 26(1):53-74.
- (57) Thomas JW, Grazier KL, Ward K. Comparing accuracy of risk-adjustment methodologies used in economic profiling of physicians. *Inquiry* 2004; 41(2):218-231.
- (58) Tucker AM, Weiner JP, Honigfeld S, Parton RA. Profiling primary care physician resource use: examining the application of case mix adjustment. *J Ambul Care Manage* 1996; 19(1):60-80.
- (59) van Vliet RC, van de Ven WP. Towards a capitation formula for competing health insurers. An empirical analysis. *Soc Sci Med* 1992; 34(9):1035-1048.
- (60) van Vliet RC, van de Ven WP. Capitation payments based on prior hospitalizations. *Health Econ* 1993; 2(2):177-188.
- (61) van Vliet RC, Lamers LM. The high costs of death: should health plans get higher payments when members die? *Med Care* 1998; 36(10):1451-1460.
- (62) Weiner JP, Starfield BH, Steinwachs DM, Mumford LM. Development and application of a population-oriented measure of ambulatory care case-mix. *Med Care* 1991; 29(5):452-472.
- (63) Weiner JP, Starfield BH, Powe NR, Stuart ME, Steinwachs DM. Ambulatory care practice variation within a Medicaid program. *Health Serv Res* 1996; 30(6):751-770.

- (64) Weiner JP, Dobson A, Maxwell SL, Coleman K, Starfield B, Anderson GF. Risk-adjusted Medicare capitation rates using ambulatory and inpatient diagnoses. *Health Care Financ Rev* 1996; 17(3):77-99.
- (65) Yu W, Ellis RP, Ash A. Risk selection in the Massachusetts State Employee Health Insurance Program. *Health Care Manage Sci* 2001; 4:281-287.
- (66) Zhao Y, Ash AS, Haughton J, McMillan B. Identifying future high-cost cases through predictive modeling. *Dis Manage Health Outcomes* 2003; 11(6):389-397.
- (67) Zhao Y, Ellis RP, Ash AS, Calabrese D, Ayanian JZ, Slaughter JP et al. Measuring population health risks using inpatient diagnoses and outpatient pharmacy data. *Health Serv Res* 2001; 36(6 Pt 2):180-193.
- (68) Zhao Y, Ash AS, Ellis RP, Ayanian JZ, Pope GC, Bowen B et al. Predicting pharmacy costs and other medical costs using diagnoses and drug claims. *Med Care* 2005; 43(1):34-43.